

Gemini 180

Double Additive Monochromator

ELEMENTAL ANALYSIS
FLUORESCENCE
GRATINGS & OEM SPECTROMETERS
OPTICAL COMPONENTS
FORENSICS
PARTICLE CHARACTERIZATION
RAMAN
SPECTROSCOPIC ELLIPSOMETRY
SPR IMAGING

Fully automated
Double additive grating
scanning monochromator

Overview


The Gemini 180 is a fully automated, double additive grating scanning monochromator. The incorporation of toroidal optics provides for optimum throughput and spectral resolution. It is ideal for applications that require low stray light including Transmission, Absorbance, Reflectance and Fluorescence. The Gemini 180 also functions as a high power, high purity light source for Fluorescence, detector characterization, and microscope illumination when coupled with one of our Xe Light Sources.

Fully Automated

The Gemini 180 is fully automated, including the scanning drive, slits and shutters. The direct digital drive is self-calibrating. A single drive train is used to move each of the kinematically mounted gratings. One grating of the drive is coupled directly to the stepper motor, while the second grating follows the rotation of the first via a metal belt transmission to ensure the best wavelength coupling between the two stages.

Key Features

- Direct drive couple-scanning via single stepper motor
- Double Czerny-Turner with toroidal optics providing maximum throughput
- Kinematic grating motors
- Fully automated slits and accessories (fixed slits available for radiometry)
- Built-in computer interfaces (USB 2.0)



High Purity Tunable Light Source




Specifications

Focal Length	180 mm	
Aperture	f/3.8	
Mechanical Range	0-1400 nm	
Grating Size	50 mm x 50 mm	
Resolution	0.15 nm	
Wavelength Accuracy	± 0.5 nm	
Repeatability	± 0.1 nm	
Spectral Dispersion (@500 nm)	2.1 nm/mm	
Stray Light	1 x 10 ⁻⁹	
Bandpass	Continuously adjustable from 0 to 15 nm (1200 gr/mm grating)	
Wavelength Scanning	Direct digital stepper-motor drive (worm drive)	
Scan Speed	160 nm/s	
Step Size	0.06 nm	
Computer Interface	USB 2.0	
Dimensions	Length	46.2 cm (18.2 in)
	Width	41.7 cm (16.4 in)
	Height	19.1 cm (7.5 in)
Weight	18.1 kg (40 lb)	

Your partner for Spectroscopy Solutions



Spectrometers, Monochromators
Scientific Cameras, Software and
Custom Solutions



info.sci@horiba.com

www.horiba.com/scientific

HORIBA
Scientific

USA: +1 732 494 8660
UK: +44 (0)20 8204 8142
China: +86 (0)21 6289 6060

France: +33 (0)1 69 74 72 00
Italy: +39 2 5760 3050
Brazil: + 55 11 2923 5400

Germany: +49 (0)89 4623 17-0
Japan: +81 (75) 313-81231
Other: +1 732 494 8660

Explore the future

Automotive Test Systems | Process & Environmental | Medical | Semiconductor | Scientific

HORIBA